

# UNIVERSAL SERIES CO-LOCATION CABINET:

## W=800mm: D=1000mm:

#### **OVERVIEW:**

42U Co-location cabinet is a high-quality, fully specified colocation cabinet consisting of 2, 3 or 4 independent compartments. Compartment sizes vary depending on the height of the rack.




#### CABINET DETAILS:

- 19''Free Standing type rack cabinet.
- In the Width (800mm) & Depth (1000mm) range.
- From 42U to 45U rack cabinets are offered.
- Carrying frame is steel construction with 2mm thickness
- Adjustable feet and heavy duty castors.
- 1500KG Static Load.
- The front door is supported by 4 mm tempered glass & Perforated 60%.
- Lower and upper cable entries
- Standard colors RAL 9005 and RAL 7035.
- Heights: 42U, 45U.

#### PHYSICAL DETAILS:

UNIVERSAL SERIES FLOOR STANDING NETWORK CABINET:					
	Front Door: 1.2mm Rear Door: 1.2mm				
Thickness					
	Side Panels: 1.5mm				
	Mounting Rails: 2mm				
	Front Glass: 4mm				
	Exterior Uprights: 2mm				
Loading Capacity	Static Load: 1500KG				
Color	Black RAL9005, Grey RAL7035				
	EN 61587: 2012 Mechanical Structure for				
Standards	Electronic Equipment.				
	EN 60950: 2006 Information Technology				
	Equipment safety.				
	EN 62368: Audio/Video Information and				
	Communication Technology Equipment.				
	IEC 60917, IEC 60297				



### **ORDERING INFORMATION:**

Universal Series Co-location 19" Cabinets									
Part Number	Description	Dimension (mm)	Height (U)	Outer Width (mm)	Outer Depth (mm)		Net Product Weight (kg)		
Two Section Co-location									
KN-FSCL42U8010- 2C-C-XX	42U 19" Co-location Two Section Cabinet W=800mm D=1000mm	800X1000X2095	42	800	1000	2095	138		
KN-FSCL45U8010- 2C-C-XX	45U 19" Co-location Two Section Cabinet W=800mm D=1000mm	800X1000X2095	45	800	1000	2095	142		
Three Section Co-location									
KN-FSCL42U8010- 3C-C-XX	42U 19" Co-location Three Section Cabinet W=800mm D=1000mm	800X1000X2095	42	800	1000	2095	141		
KN-FSCL45U8010- 3C-C-XX	45U 19" Co-location Three Section Cabinet W=800mm D=1000mm	800X1000X2095	45	800	1000	2095	145		

Four Section Co-location							
KN-FSCL42U8010- 4C-C-XX	42U 19" Co-location Four Section Cabinet W=800mm D=1000mm	800X1000X2095	42	800	1000	2095	144
KN-FSCL45U8010-	45U 19" Co-location Four Section Cabinet	000/1000/20/3	72	000	1000	2075	177
4C-C-XX	W=800mm D=1000mm	800X1000X2095	45	800	1000	2095	148

C= Light Grey RAL 7035(G), Black 9005(B).

XY= X-Front Door, 1-Glass, 2-Perforated

Y-Rear Door, 1-Metal, 2-Perforated.