

EASY SERIES FREE STANDING NETWORK CABINET:

W=600mm, 800mm:

D=600mm, 800mm and 1000mm:

OVERVIEW:

Easy Series free standing cabinets provide a robust, cost-effective enclosure solution. This cabinets offer you a flexible and comprehensive solution for your network installations In terms of housing, you have numerous 19" options with installation depths of 600mm, 800mm, 1000mm. With heights from 16 to 42 units in Black (RAL9005) or Light Gray (RAL7035). The removable side panels and the lockable tempered-glass door make cabling and component exchange particularly easy.

CABINET DETAILS:


- 19" Free Standing type Data Center rack cabinet.
- In the Width (600mm, 800mm) & Depth (600mm, 800mm, 1000mm) range.
- From 16U to 45U rack cabinets are offered.
- Carrying frame is steel construction with 1.2mm thickness
- Openable and lockable side and back covers.
- Adjustable feet and heavy duty castors.
- 800KG Static Load.
- Easy assembling.
- The front door is supported by 4 mm tempered glass.
- Lower and upper cable entries
- Standard colors RAL 9005 and RAL 7035.
- Heights: 16U, 20U, 26U, 32U, 36U, 42U, 45U, 47U.



PHYSICAL DETAILS:

UNIVERSAL SERIES FLOOR STANDING NETWORK CABINET:	
Thickness	Front Door: 0.8mm Rear Door: 0.8mm Side Panels: 0.8mm Mounting Rails: 1.2mm Front Glass: 4mm Exterior Uprights: 1.1mm
Loading Capacity	Static Load: 800KG
Color	Black RAL9005, Grey RAL7035
Standards	EN 61587 -1:2012 Mechanical Structure for Electronic Equipment. IEC 297-1, 19" mounting IEC 297-2 Overall cabinet dimensions.

PICTURES:



ORDERING INFORMATION:

Easy Series Floor Standing 19" Cabinets								
Part Number	Description	Dimension (mm)	Height (U)	Outer Width (mm)	Outer Depth (mm)	Height, without Castors or Feet	Net Product Weight (kg)	
W=600mm, D=600mm								
KN-FSES16U6060-C-XY	16U 19" Free Standing Cabinet W=600mm D=600mm	600X600X938	16	600	600	938	25	
KN-FSES20U6060-C-XY	20U 19" Free Standing Cabinet W=600mm D=600mm	600X600X1166	20	600	600	1166	31	
KN-FSES26U6060-C-XY	26U 19" Free Standing Cabinet W=600mm D=600mm	600X600X1383	26	600	600	1383	40	
KN-FSES32U6060-C-XY	32U 19" Free Standing Cabinet W=600mm D=600mm	600X600X1650	32	600	600	1650	48	
KN-FSES36U6060-C-XY	36U 19" Free Standing Cabinet W=600mm D=600mm	600X600X1828	36	600	600	1828	55	
KN-FSES42U6060-C-XY	42U 19" Free Standing Cabinet W=600mm D=600mm	600X600X2095	42	600	600	2095	63	
W=600mm, D=800mm								
KN-FSES16U6080-C-XY	16U 19" Free Standing Cabinet W=600mm D=800mm	600X800X938	16	600	800	938	27	

KN-FSES20U6080-C-XY	20U 19" Free Standing Cabinet W=600mm D=800mm	600X800X1166	20	600	800	1166	34
KN-FSES26U6080-C-XY	26U 19" Free Standing Cabinet W=600mm D=800mm	600X800X1383	26	600	800	1333	43
KN-FSES32U6080-C-XY	32U 19" Free Standing Cabinet W=600mm D=800mm	600X800X1650	32	600	800	1650	50
KN-FSES36U6080-C-XY	36U 19" Free Standing Cabinet W=600mm D=800mm	600X800X1828	36	600	800	1828	57
KN-FSES42U6080-C-XY	42U 19" Free Standing Cabinet W=600mm D=800mm	600X800X2095	42	600	800	2095	65
KN-FSES45U6080-C-XY	45U 19" Free Standing Cabinet W=600mm D=800mm	600X800X2228	45	600	800	2228	68
W=600mm, D=1000mm							
KN-FSES16U6010-C-XY	16U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X938	16	600	800	938	30
KN-FSES20U6010-C-XY	20U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X1166	20	600	800	1166	38
KN-FSES26U6010-C-XY	26U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X1383	26	600	800	1333	49
KN-FSES32U6010-C-XY	32U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X1650	32	600	1000	1650	60
KN-FSES36U6010-C-XY	36U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X1828	36	600	1000	1828	68
KN-FSES42U6010-C-XY	42U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X2095	42	600	1000	2095	78
KN-FSES45U6010-C-XY	45U 19" Free Standing Cabinet W=600mm D=1000mm	600X1000X2228	45	600	1000	2228	83
W=800mm, D=800mm							
KN-FSES16U6010-C-XY	16U 19" Free Standing Cabinet W=800mm D=800mm	800X800X938	16	800	800	938	30
KN-FSES20U6010-C-XY	20U 19" Free Standing Cabinet W=800mm D=800mm	800X800X1166	20	800	800	1166	38
KN-FSES26U8080-C-XY	26U 19" Free Standing Cabinet W=800mm D=800mm	800X800X1383	26	800	800	1383	49
KN-FSES32U8080-C-XY	32U 19" Free Standing Cabinet W=800mm D=800mm	800X800X1650	32	800	800	1650	60
KN-FSES36U8080-C-XY	36U 19" Free Standing Cabinet W=800mm D=800mm	800X800X1828	36	800	800	1828	68
KN-FSES42U8080-C-XY	42U 19" Free Standing Cabinet W=800mm D=800mm	800X800X2095	42	800	800	2095	78
KN-FSES45U8080-C-XY	45U 19" Free Standing Cabinet W=800mm D=800mm	800X800X2228	45	800	800	2228	83
W=800mm, D=1000mm							
KN-FSES16U8010-C-XY	16U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X938	16	800	1000	938	38
KN-FSES20U8010-C-XY	20U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X1166	20	800	1000	1166	47
KN-FSES26U8010-C-XY	26U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X1383	26	800	1000	1383	61
KN-FSES32U8010-C-XY	32U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X1650	32	800	1000	1650	74
KN-FSES36U8010-C-XY	36U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X1828	36	800	1000	1828	84
KN-FSES42U8010-C-XY	42U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X2095	42	800	1000	2095	97
KN-FSES45U8010-C-XY	45U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X2228	45	800	1000	2228	104
KN-FSES47U8010-C-XY	47U 19" Free Standing Cabinet W=800mm D=1000mm	800X1000X2317	47	800	1000	2317	109

C= Light Grey RAL 7035(G), Black 9005(B).

XY= X-Front Door, 1-Glass, 2-Perforated, 3-Glass Double Door, 4- Perforated Double Door

Y-Rear Door, 1-Metal, 2-Perforated, 3-Glass Double Door, 4- Perforated Double Door.

Door options: Both Single & Double opening.

HEAD QUARTERS:

BARTYCKA 22B M21A 00-716
WARSAWA, POLAND.

For more information visit us at

www.korekonekt.com